



Cutting, slicing, dicing and food
cooking machine equipment
Professional food machinery manufacturer

- ◆ *Dice Machines*
- ◆ *Meat Machines*
- ◆ *Belt Cutting Machines*
- ◆ *Vegetable Peeling Machines*
- ◆ *Vegetable Centrifuge Machine*
- ◆ *Vegetable Washing Machines*
- ◆ *Vertical Cutter Mixer*

Pursuit of Innovation





Company Profile

TAIYI FOOD MACHINERY CO., LTD. was founded in 1978 in Taichung, Taiwan and has developed into one of its largest producers of professional vegetable processing equipment. Specializing in the manufacture and export of a wide range of machinery including Dicers, Belt Slicers, Vegetable Washing machines and Centrifugal Dryers suitable for the global market. We are devoted to researching, innovating and developing new models to meet the market demands. With over 40 years of experience, we always insist on providing our customer high quality innovative products that meet the demanding requirements of processors around the world. Please visit our official website (www.tyfm.com) for more information.

Contents

01 - 05	Dice Machines TD-500 · TD-500S · TD-500C · TD-500SC · TD-2A · TD-2A(CE) · TD-2SS · TD-330
03	Meat Machine TD-600
06 - 09	Belt Cutting Machines TS-168 · TS-170 · Types of Cuts · TS-200 · TS-118 · TS-120
10 - 11	Vertical Cutter Mixer TM-60 · TM-40 · TM-25
12 - 13	Vegetable Cutting Machine TJ-300 · TJ-350 · Types of Cuts
14 - 15	Vegetable Washing Machines TW-3000VR/VRH · TW-2 · TW-3
16 - 17	Vegetable Peeling Machines TR-55 · TR-500
18	Vegetable Centrifuge Machines TC-5 · TC-6
19 - 20	Corn Peeling Machines TA-19 · TA-19(A)
21	Memo

Dicing Machine

TD-500

★ TW. Pat. No. **D197949**

Easy to clean and replace the knife set
 Electronical control panel allows operator to adjust for the cutting speed

Cutting Range	3/4/5/6/7/8/10/12/15/17/ 20/21/25mm
Dimensions	L1750 x W1250 x H1600mm
Weight	282kg
Motor	2HP
Capacity	800-3000 kg/ hr
Made of stainless steel and aluminum alloy	



Dicing Machine

TD-500S

★ TW. Pat. No. **D197950**

★ CN. Pat. No. **ZL308825373S**

Easy to clean and replace the knife set
 Electronical control panel allows operator to adjust for the cutting speed

Cutting Range	3/4/5/6/7/8/10/12/15/17/ 20/21/25mm
Dimensions	L1750 x W1250 x H1600mm
Weight	400kg
Motor	2HP
Capacity	800-3000 kg/ hr
Made of stainless steel	



Dicing Machine (Type of Crinkle Cut)

TD-500C

★ TW. Pat. No. **D197949**

Easy to clean and replace the knife set
 Electronical control panel allows operator to adjust for the cutting speed

Cutting Range	8.5/10.5/12.5/15.5mm
Dimensions	L1750 x W1250 x H1600mm
Weight	282kg
Motor	2HP
Capacity	800-3000 kg/ hr
Made of stainless steel and aluminum alloy	



Dicing Machine (Type of Crinkle Cut)

TD-500SC

★ TW. Pat. No. **D197950**

★ CN. Pat. No. **ZL308825373S**

Easy to clean and replace the knife set
 Electronical control panel allows operator to adjust for the cutting speed

Cutting Range	8.5/10.5/12.5/15.5mm
Dimensions	L1750 x W1250 x H1600mm
Weight	400kg
Motor	2HP
Capacity	800-3000 kg/ hr
Made of stainless steel	





Pursuit of
Innovation



Meat Dicing Machine

TD-600

★ CN. Pat. No. 8842904

★ CN. Pat. No. 21777312

Easy to clean and replace the knife set
Touch panel allows operator to adjust
for the cutting speed

Cutting Range 5/6/8/10/12/15/20mm

Dimensions L2100 x W1418 x H1600mm

Weight 635kg

Motor 10.5HP

Capacity 800-3000kg/ hr

Made of stainless steel



Dicing Machine

TD-2A

Easy to clean and replace the knife set
Variety of julienne/slice/dice cutting size

Cutting Range	3/4/5/6/7/8/10/12/15/20mm
Dimensions	L890 x W710 x H1260mm
Weight	102kg
Motor	3-Ph · 1HP 220-380V · 0.75kw
Capacity	300-1000 kg/ hr
Application	Vegetable, Potato, Carrot, Onion, Ham
Made of stainless steel and aluminum alloy	



Dicing Machine

TD-2A(CE)

Easy to clean and replace the knife set
Variety of julienne/slice/dice cutting size

Cutting Range	3/4/5/6/7/8/10/12/15/20mm
Dimensions	L997 x W830 x H1486mm
Weight	150kg
Motor	3-Ph · 1HP 220-380V · 0.75kw
Capacity	300-1000 kg/ hr
Application	Vegetable, Potato, Carrot, Onion, Ham
Made of stainless steel and aluminum alloy	



Dicing Machine

TD-2SS

Easy to clean and replace the knife set
Variety of julienne/slice/dice cutting size

Cutting Range	3/4/5/6/7/8/10/12/15/20mm
Dimensions	L1050 x W780 x H1300mm
Weight	182kg
Motor	3-Ph · 1HP 220-380V · 0.75kw
Capacity	300-1000 kg/ hr
Application	Vegetable, Potato, Carrot, Onion, Ham
Made of stainless steel	



Dicing Machine

TD-330

★ CN. Pat. No. 201120146011.2

Multifunctional machine with julienne cutting
2-8m/m, slice cutting 2-8m/m, dice cutting 8-20m/m
Easy to operate and clean

Dimensions	L760 x W545 x H860mm
Weight	62kg
Motor	1-Ph · 1HP/ 220 · 0.75kw
Capacity	300-1000 kg/ hr
Application	Vegetable, Potato, Carrot, Taros
Made of stainless steel and aluminum alloy	



Belt Cutting Machine

TS-168

★ TW. Pat. No. **D184582 / M539246**

★ CN. Pat. No. **206278586**

Single Blade: 1-70m/m

Two Wing Blade: 1-35m/m

Dimensions	L1230 x W700 x H1163mm
Weight	193kg
Motor	1PH · 2.5HP 220V · 1.87kw
Capacity	800-2000 kg/hr
Application	Vegetables, Potato, Carrot
Made of stainless steel	



Belt Cutting Machine

TS-170

An ideal equipment for central kitchen, restaurants
and food processing industry

Various cutting accessories for a great variety of products

Dimensions	L1865 x W730 x H1223mm
Weight	280kg
Motor	2.5HP 220V 1.87kw
Capacity	800-2000 kg
Application	Vegetable, Potato, Carrot
Made of stainless steel	



Types of Cuts



Two Wing Blade

| Cut size |
1-30mm



Adjustable Slice Disc

| Cut size |
1-25mm



**Set Slice Disc
of Two Wing Blade**

| Cut size |
1/2/3/4/5/6/8/10mm



**Aluminum Alloy
Julienne Disc**

| Cut size |
2/3/4/5/6/8/10mm



Single Blade

| Cut size |
30-60mm



Dice Disc

| Cut size |
30*30mm



Belt Cutting Machine

TS-200

An ideal equipment for central kitchen, food processing industry
Various cutting accessories for a great variety of products

Dimensions	L2060mm x W780mm x H1380mm
Weight	400kg
Motor	3HP · 2.24kw
Capacity	800-4000 kg
Infeed/placement height	940mm
Outfeed/delivery height	495mm
Belt width	200mm
Made of stainless steel	
Application	Vegetables, Potato, Carrot





Special Belt Cutting Machine

TS-118

★ TW. Pat. No. **D184582 / M539246**

★ CN. Pat. No. **6259852**

Single Blade:1-70m/m
Two Wing Blade:1-35m/m

Dimensions	L1300 x W650 x H1340mm
Weight	200kg
Motor	1PH · 2.5HP 220V-240V · 1.87kw
Capacity	500-2000 kg/hr
Application	Vegetables, Potato, Carrot
Made of stainless steel	



Belt Cutting Machine

TS-120

★ CN. Pat. No. **6259852**

★ CN. Pat. No. **4102666**

Two Wing Blade:1-50m/m

Dimensions	L980 x W550 x H1050mm
Weight	155kg
Motor	1PH · 1.5HP 220V-240V · 1.13kw
Capacity	500-2000 kg/hr
Application	Vegetables, Potato, Carrot
Made of stainless steel	





Vertical Cutter Mixer

TM-60

★ TW. Pat. No. **M661743**

★ TW. Pat. No. **M660275**

★ TW. Pat. No. **M661746**

Dimensions	L923mm x W567mm x H1356mm
Weight	215 kg
Motor	15HP-220V/380V
Capacity	60 litre
Made of stainless steel	

TM-60, TM-40 and TM-25 Vertical cutter mixer **60, 40, 25** liter the perfect industrial sized food processor.

Powerful motor makes the processing of large volumes of meat and vegetables into the desired textures.

A large removable mixing bowl easy cleaning time setting speed control.



Pursuit of
Innovation





Vertical Cutter Mixer

TM-40

★ TW. Pat. No. **M661743**

★ TW. Pat. No. **M660275**

★ TW. Pat. No. **M661746**

Dimensions	L905 x W560 x H1355mm
Weight	205kg
Motor	3PH*12HP-220V/380V
Capacity	40 liter
Made of stainless steel	



Vertical Cutter Mixer

TM-25

★ TW. Pat. No. **M661743**

★ TW. Pat. No. **M660275**

★ TW. Pat. No. **M661746**

Dimensions	L845 x W442 x H1196mm
Weight	170 kg
Motor	3PH*7.5HP-220V/380V
Capacity	25 liter
Made of stainless steel	



Vegetable Cutting Machine

TJ-300

★ TW. Pat. No. **1858746**

★ CN. Pat. No. **6685542**

Easy to clean and replace the knife set
Various types of cuts

Dimensions	L1095 x W1020 x H1525mm
Weight	150kg
Motor	1HP
Capacity	500-2000 kg/ hr
Made of stainless steel	



Vegetable Cutting Machine

TJ-350

★ TW. Pat. No. **1858746**

Easy to clean and replace the knife set
Various types of cuts

Dimensions	L1293 x W1038 x H1520mm
Weight	300kg
Motor	5HP
Capacity	700-3000 kg/ hr
Made of stainless steel	



Flume Washer

TW-3000VR/VRH

★ CN. Pat. No. **ZL201520281842.9**

Efficient and gentle wash of fruits and vegetables
Meet the requirement of food processing industry's
automatic working demands

Dimensions	L4557 x W1120 x H1639mm (VR) L4557 x W1120 x H1839mm (VRH)
Weight	450kg
Motor	7HP 220V/380V 5.11kw
Maximum capacity	500-1000kg/hr
Application	Leafy and salad vegetables, Fruits
Made of stainless steel	



Vegetable Washing Machine

TW-2

Powerful bubble water flow
Automatic timing control

Dimensions	L1700 x W1000 x H1200mm
Weight	220kg
Motor	1/2HP+2HP
Maximum capacity	25-40kg/once
Application	Leafy and salad vegetables, Fruits
Made of stainless steel	



Continuous Vegetable Washing Machine

TW-3

Powerful bubble water flow
Able to control the amount of the water flow
Automatically continuous outfeed line

Dimensions	L3000 x W920 x H1400mm
Weight	380kg
Motor	1/4HP+1HP+2HP+3HP
Maximum capacity	1000kg/hr
Application	Leafy and salad vegetables, Fruits
Made of stainless steel	





Vegetable Peeling Machine

TR-55

★ TW. Pat. No. D139921

Brand new design with the feature of easy
cleanness and maintenance

Dimensions	L770 x W665 x H925mm
Weight	130kg
Motor	3-Ph · 2HP · 220-380V · 1.5kw
Capacity	300-500kg/ hr
Maximum capacity	30kg
Application	Vegetables, Potato, Carrot
Made of stainless steel and aluminum alloy	





Vegetable Peeling Machine

TR-500

★ TW. Pat. No. 6859556

Easy to clean and replace the knife disc / knife separately
 Electronical control panel allows operator to adjust for timing
 Reduction gear direct driving

Dimensions	L1080 x W700 x H1000mm
Weight	160kg
Motor	3-Ph · 2HP · 220-380V · 1.5kw
Capacity	15 kg/ once
Application	Vegetables, Potato, Carrot
Made of stainless steel	



Vegetable Centrifuge Machine

TC-5

Designed with an attractive appearance
Efficient spin-drying of fruits and vegetable

Dimensions	L956 x W685 x H890mm
Weight	150kg
Motor	1HP 220V 0.75kw
Maximum capacity	42L
Application	Leafy and salad vegetables, Fruits
Made of stainless steel	



Vegetable Centrifuge Machine

TC-6

Designed with an attractive appearance
Efficient spin-drying of fruits and vegetable

Dimensions	L1110 x W780 x H970mm
Weight	150kg
Motor	1HP 220V 0.75kw
Maximum capacity	42L
Application	Vegetables, Potato, Carrot
Made of stainless steel	





Corn Peeling Machine

TA-19

Suitable for the fresh sweet corn working.
The speed of knife is controlled by inverter drives,
easy to control.

Dimensions	L565 x W565 x H1215mm
Weight	80kg
Motor	1-Ph · 1HP / 1/2HP 220V · 1.12kw
Capacity	150-250kg/hr
Made of stainless steel	





Corn Peeling Machine

TA-19A

Suitable for the fresh corn working.

The speed of knife is controlled by inverter drives, easy to control.

Dimensions	L565 x W1300 x H1215mm
Weight	160kg
Motor	1-Ph · 1HP / 1/2HP 220V · 1.12kw
Maximum capacity	150-250kg/hr
Application	Vegetables, Potato, Carrot
Made of stainless steel and aluminum alloy	





TAIYI FOOD MACHINERY CO., LTD.

No. 252, Sec. 2, Yongping Rd., Taiping Dist.,
Taichung City 411, Taiwan (R.O.C.)

TEL +886-4-2278-2100

FAX +886-4-2276-6269

E-mail sales@taiyimachinery.com

[http:// www.tyfm.com.tw](http://www.tyfm.com.tw)



Machine specification and pictures are for reference
only and are subject to change without prior notice.

COPYRIGHT © TAI-YI ALL RIGHTS RESERVED

202512

